




HY2163-01

BY HOAU BROTHER




HY2163-01




HY2163-02



HY2163-03



HY2163-06



HY2163-07




HY2163-05



HY2163-04



HY2163-09




HY2163-08




HY2163-11




HY2163-10




HY2163-12




HY2163-13




HY2163-15




HY2163-17




HY2163-16




HY2163-14




HY2163-19




HY2163-21




HY2163-18



HY2163-20



HY2163-24



HY2163-23



HY2163-22

技术检测 (Tec.)	检测标准 (TS.)	项目 (Unit.)		测试结果 (Test Result)	
耐水色牢度 (CFTW.)	AATCC107:2002 GB/T5713-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐汗色牢度 (CFTP.)	AATCC15:2002 GB/T3922-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐洗色牢度 (CFTW.)	ISO 105-C03:1989 GB/T3921.3-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
干湿摩擦色牢度 (CFTR.)	AATCC8:2002 GB/T3920-1997	干-Dry	湿-Wet	Grade	4
		干-Dry	湿-Wet	等级	4
抗摩擦坚牢度 (Ab.Re)	ASTM D4966-98 Martindale 12Kpa			rubs	50000转

colour 24

材质(Comp):100%涤纶(PL)

克重(Weight):360gsm

幅宽(Width):150cm

备注:我司面料未含阻燃,阻燃需外加工.



Company Information

Contact		
	(Phone)	0757-23870666 23636258
	(Fax)	0757-23875234 23873536
	(E-mail)	xiaowensu@hoaubrother.com
	(Web)	www.hoaubrother.com
	(Add)	顺德•龙江 精美路18号世博汇A座4楼(华宇总部) 亚洲国际A区一排29-32号(华宇旗舰店) No. 29-32,A area, Asia international materials city,Long Jiang, Shunde,Foshan, Guangdong, China,Post Code 528318



扫描二维码, 关注华宇兄弟

• 产品数据为真实检测数据 •